

## Breastfeeding Post-Test

For the following questions,  
circle **T** if the statement is true, and **F** if the statement is false.

- |   |   |     |  |
|---|---|-----|--|
| T | F | 1.  | You should always wear gloves when handling human milk.                        |
| T | F | 2.  | Breastfed babies have fewer ear infections.                                    |
| T | F | 3.  | Babies who receive formula have more diarrhea than those who do not.           |
| T | F | 4.  | Supporting breastfeeding is part of my job.                                    |
| T | F | 5.  | If a child is not breastfed, she is more likely to die of SIDS.                |
| T | F | 6.  | Formula contains all of the components in human milk.                          |
| T | F | 7.  | I can affect whether or not a mother continues to breastfeed her baby.         |
| T | F | 8.  | A good way to feed a baby cereal is in a bottle.                               |
| T | F | 9.  | The longer a mother breastfeeds, the better it is for her health.              |
| T | F | 10. | If a mother's diet is poor, she should not breastfeed.                         |
| T | F | 11. | It is best if babies receive only mother's milk until they are six months old. |
| T | F | 12. | Microwaving is a good way to warm bottles.                                     |
| T | F | 13. | It is best for everyone if babies are fed on a schedule.                       |
| T | F | 14. | Human milk will spoil if left at room temperature for an hour.                 |
| T | F | 15. | You should always wear gloves when handling bottles of formula.                |
| T | F | 16. | Most babies should start eating solid foods at about 4 months of age.          |